

FAY, SHARPE, BEALL, FAGAN, MINNICH & MCKEE

ATTORNEYS AT LAW

104 EAST HUME AVENUE
ALEXANDRIA, VIRGINIA 22301

(703) 684-1120

PATENT, TRADEMARK
AND COPYRIGHT LAW

FACSIMILE: (703) 684-1157
E-MAIL: fsb@alex.dgsys.com

OHIO OFFICE
1100 SUPERIOR AVENUE, SUITE 700
CLEVELAND, OHIO 44114
(216) 861-5582

Date: November 25, 1997

Attorney Docket No. ASA-689

To: Assistant Commissioner for Patents
Washington, D.C. 20231

Sir: Transmitted herewith for filing is the patent application of:

Inventor: SEE ATTACHED LIST (T. ONO et al)

For:
ELECTRONIC COMMERCE SUPPORT METHOD AND APPARATUS

Enclosed are:



14 Sheets of Drawings



This application is being filed without an executed Declaration, which will be filed later in accordance with 37 CFR 1.53 (d).



Priority is claimed from Japanese Application No. 8-317439
filed November 28, 1996. ☒ A certified copy is attached herewith.



Copies of the disclosure documents listed on the attached PTO 1449 form and
☒ discussed in the specification or ☒ attached Information Disclosure Statement.



A verified statement to establish small entity status under 37 CFR 1.9 and 1.27.



Specification: Abstract X, Description 31 pages; and 28 claim(s).



Preliminary Amendment.



Executed Declaration.

The filing fee is calculated as shown below:

Small Entity

Large Entity

For:	No. Filed	No. Extra
Basic Fee		
Total Claims	28 - 20 = *	8
Indep Claims	7 - 3 = *	4
<input type="checkbox"/> Multiple Dependent Claim (s)		

* If difference is less than zero
then enter '0' in second column

Rate	Fee
	\$ 395
x 11	\$
x 41	\$
+ 135	\$
Total	\$

OR

Rate	Fee
	\$ 790
x 22	\$ 176
x 82	\$ 328
+ 270	\$ 0
Total	\$ 1,294



A check in the amount of \$ 1,294.00 is enclosed for the filing fee.



The Commissioner is hereby authorized to charge any additional fees that may be required to Deposit Account No. 02-1540. A duplicate of this sheet is attached.

Respectfully Submitted,

By:

John R. Mattingly

Registration No. 30,293

LIST OF INVENTORS' NAMES AND ADDRESSES

- 1) Toshiyuki ONO, Kawasaki-shi, JAPAN,
- 2) Chizuko YASUNOBU, Tokyo, JAPAN.

08979340 "4289"
"6324" "07864680"

Title of the Invention

**ELECTRONIC COMMERCE SUPPORT
METHOD AND APPARATUS**

Inventors

**Toshiyuki ONO,
Chizuko YASUNOBU.**

CROSS-REFERENCE TO RELATED APPLICATION

This application relates to U.S. Patent Application
Serial No. 08/802,997 filed on February 21, 1997 by T. Ono et
al, entitled "ONLINE SHOPPING SUPPORT METHOD AND SYSTEM".

08979810-42597

BACKGROUND OF THE INVENTION

The present invention relates to an electronic commerce support method and apparatus.

R. Kalakota et al., *Frontiers of Electronic Commerce*, Addison-Wesley Pub. Co., Inc, 1976, pp. 274-288 discloses search, order, payment, return, and so on of products in online shopping.

In the online shopping using a communication network such as Internet or the like, information on products provided therein can be visually and easily identified by a web browser using Hyper-Text Markup Language (HTML) and Virtual Reality Modelling Language (VRML), and so on. For placing an order, a desired product may be selected and information associated with the order be inputted.

After the order is completed, a statement of the order indicating the contents and purchase price of ordered products is transmitted through an electronic mail or sent by letter for confirmation. In many cases, ordered product are delivered by some home delivery service in several days. A product such as software electronically available through a network can be immediately downloaded into a storage device in a computer of a buyer.

08979810 113697

As to payment for such products ordered through the online shopping, a credit card billing model may be utilized. In this case, an associated credit billing organization or card company bundles monthly trading utilized by the buyer for the past one month, totalizes the amount for revolving payment, and sends the buyer a card utilization statement which also serves as an advance notice of debit. Then, the noticed amount is automatically debited from a bank account specified by the buyer on a predetermined date.

It is expected that in future, the opportunities of utilizing the online shopping for purchasing products will be more and more increased, and products available on networks will extend to daily necessities and so on, as personal computers and Internet are increasingly spread for domestic use. As the number of available products and the frequency of purchases in the online shopping are increased, it is envisaged that the management of information related to trading will become more complicated.

In the conventional online shopping, a personal computer is not capable of always providing detailed information on each of purchased products, for example, which of purchased products has been delivered, for which product the payment has been made, and so on. Information on ordered products is given to a buyer only when statements of ordered products are delivered from respective sellers to the buyer by letter through a

00979810-11997
SECRET

postal service or the like, or only when the products are delivered to the buyer by a home delivery service. It is therefore difficult for a buyer to acquire what the buyer has ordered in the past, whether ordered

5 products have been delivered, how much and when the buyer must pay, and so on when the buyer wants to know such information. In addition, the buyer has difficulties in accessing information on which product has not yet been delivered after a scheduled delivery

10 date had been passed, information on where to inquire about undelivered products, and so on. Further difficulties are encountered in immediately knowing for which product the payment has not been made, how much the total amount sums up for unpaid products, whether

15 the amount of money remaining in the specified account is sufficient to cover previous trading, and so on. Furthermore, it is difficult to check whether the contents of a statement sent to the buyer at a later date are coincident with the contents of orders which

20 were placed far in the past.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide an electronic commerce support method and system which are capable of solving the problems mentioned

25 above and efficiently managing and utilizing trading information in the online shopping.

It is another object of the present invention to provide an electronic commerce support method and system which is capable of managing and utilizing trading information in electronic commerce, and acquiring a present status of processing for a trading, corresponding to the managed information, to enable a buyer to readily know the correspondence between orders and delivered products, unpaid orders, the total amount for the unpaid orders, and so on.

According to one aspect of the present invention, an electronic commerce support method for managing trading in a client connected to a server for providing electronic commerce services to receive the electronic commerce services comprises the steps of:

transmitting an order for a product on the electronic commerce in response to an input by a user to the server through a communication network, receiving trading information including a trading identifier associated with the order and data on the contents of the order from the server, and storing the trading information in a storage device;

receiving from the server trading processing information including a present status of processing (processing progress status) for processing initiated for the order, a present status of processing for delivery of the product corresponding to the order, a present status of processing for payment processing for the trading, and the trading identifier; and

comparing the trading identifier included in the trading information with the trading identifier included in the trading processing information, and outputting a warning if they are not coincident, and
5 adding the trading processing information to the trading information stored in the storage device if they are coincident.

According to another aspect of the present invention, an electronic commerce support method for
10 managing trading in a server for providing a plurality of clients with electronic commerce services, comprises the steps of:

receiving an order for a product in the electronic commerce in response to an input by a user
15 from a client through a communication network, and performing order acceptance processing for the product in accordance with a predetermined electronic commerce processing;

transmitting to the client trading information
20 including a trading identifier associated with the order and data on the contents of the order;

creating trading processing information including a present status of processing (processing progress status) for processing initiated for the order,
25 a present status of processing for delivery of the product corresponding to the order, a present status of processing for payment processing for the trading, and

03575810.14697
269271.0785/580

managing the present status of processing
(processing progress status) for the processing
5 initiated for the order, the present status of the
processing for delivery of the product corresponding to
the order, and the present status of processing for the
payment processing for the trading until the order
processing, the delivery, and the payment processing are
10 completed.

Trading for which delivery has been completed may be displayed separately from trading for which delivery has not been completed, from the present status of processing for delivery included in the trading information, and trading which have been paid or settled may be displayed separately from trading which have not been paid or settled, from the present status of processing for payment processing for the trading. In addition, a total amount of money for products included in the trading which have not been settled or unpaid may be calculated and displayed. The total amount of money may be compared with a predetermined limit amount, such that a warning is outputted if the total amount of money for the products exceeds the limit amount. Information on a product to be returned may be inputted based on the displayed trading information, and transmitted to the server.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram illustrating a system configuration according to an embodiment of the present invention;

5 Fig. 2 is a flow chart illustrating overall processing executed in an electronic commerce support method according to one embodiment of the present invention;

10 Fig. 3 is a flow chart illustrating in detail the overall processing executed in the electronic commerce support method of Fig. 2;

Fig. 4 is a block diagram illustrating a system configuration according to an embodiment of the present invention;

15 Fig. 5 shows a screen for inputting order information in the embodiment of the present invention;

Fig. 6 shows tables for storing data related to order processing in the embodiment of the present invention;

20 Fig. 7 is a flow chart illustrating the order acceptance processing in the embodiment of the present invention;

Fig. 8 shows trading information in the embodiment of the present invention;

25 Fig. 9 illustrates a screen for displaying the trading information in the embodiment of the present invention;

08979310-4897
48979310-4897

Fig. 10 is a flow chart illustrating the order processing in the embodiment of the present invention;

Fig. 11 is a flow chart illustrating order processing status creation in the embodiment of the present invention;

Fig. 12 shows order processing status information in the embodiment of the present invention;

Fig. 13 is a flow chart illustrating the processing of transmitting the order processing status in the embodiment of the present invention;

Fig. 14 shows delivery processing status information in the embodiment of the present invention;

Fig. 15 shows payment processing status information in the embodiment of the present invention;

Fig. 16 illustrates a screen for displaying a present status of processing for a trading in the embodiment of the present invention;

Fig. 17 is a flow chart illustrating the processing for requesting a present status of processing for a trading in the embodiment of the present invention;

Fig. 18 illustrates a screen for inputting a present trading processing status request schedule in the embodiment of the present invention;

Fig. 19 illustrates a warning display screen in the embodiment of the present invention;

Fig. 20 is a flow chart illustrating the product return processing in the embodiment of the

08979840-1259

present invention; and

Fig. 21 is a flow chart illustrating the reorder processing in the embodiment of the present invention.

5 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An embodiment of the present invention will hereinafter be described in detail with reference to the accompanying drawings.

Reference is first made to the general con-
10 figuration of an electronic commerce system illustrated in Fig. 1. The electronic commerce system of this embodiment is a system in which a client 210 and a server 220 are interconnected by a communication network 230.

15 (a) Device Configuration of Client 210:

The client 210 comprises a computer 211, and an input device 212, an output device 213, a storage device 214 and a communication cable 215 connected to the computer 211. The input device 212 comprises a
20 keyboard and a pointing device (such as a mouse, a control pad, or the like). The output device 213 preferably comprises a high definition display and a speaker for correctly and precisely displaying products. The storage device 214 may be either of magnetic disk,
25 an optical disk, and so on which have a sufficient storage capacity for storing programs and data files. The communicating cable 215 may be an optical cable, a

03979310-1699
269277-07862680

telephone line, or the like. When the client 210 transmits and receives data to and from the communication network 230 through a wireless channel, the client 210 is provided with a wireless interface instead of the communication cable 215.

(b) Device Configuration of Server 220:

The server 220 comprises a computer 221, and a storage device 222 and a communication cable 223 connected to the computer 221.

While the device configuration for implementing the present invention may be what is generally called a computer system, the server 220 should be a high speed and high capability computer system for simultaneously providing a large number of clients with electronic commerce services.

(c) Device Configuration of Communication Network 230:

The communication network 230 comprises Internet, personal computer communications, and other networks using wired or wireless channels.

A general processing flow of the electronic commerce support system according to this embodiment of the present invention will hereinafter be described with reference to Fig. 2.

First, the client 210 inputs information on an order for a desired product including the quantity, price, address, name and payment method, and transmits the information to the server 220 using WWW (World Wide Web), an electronic mail, or the like (step 111). The

08979840-112697

server 220 receives the order information through the communication network 230, and proceeds order acceptance processing in accordance with a predetermined electronic commerce processing (step 121). The electronic commerce
5 processing herein used includes a processing which has been previously determined in accordance with a payment method and a delivery method for an order. The server 220 creates trading information indicative of the contents of the trading based on the order information
10 (step 122). Then, the server 220 transmits the trading information to the client 210 using WWW (World Wide Web), an electronic mail, or the like (step 123). The client 210 receives the trading information and stores it in the storage device 214 (step 112). In the mean
15 time, the server 220 executes the electronic trading based on the trading information, i.e., checks the stock, executes the order processing (determines a shipping date) and delivery processing (determines a delivery date), and determines a payment date (from a
20 purchase day) (step 124). With the processing of this trading, the server 220 creates information indicative of a present status of processing for the trading (step 125). The processing of the trading may be performed by another server, and the information indicative of the
25 present status of processing may be transmitted from this server. More specifically, the information on the present status of the processing for electronic commerce includes data indicative of sending-out status, delivery

DECEMBER 11 1999

status, payment status, and so on for a product ordered by the electronic commerce. The server 220 transmits the created present status of processing for the trading to the client 210 using WWW (World Wide Web), an
5 electronic mail, or the like (step 216). If the processing for the trading is not completed, the processing for pending items is repeated at and after step 124 (step 127). The client 210 receives this present status of processing for the trading (step 113).
10 Then, the client 210 checks the coincidence between the received present status of processing for the trading with the trading information previously stored in the storage device 214 (step 114). If a trading identifier contained in the received present status of processing
15 does not match any of trading identifiers stored in the storage device 214 of the client 210, or if an error is found between trading information before updated and trading information after updated, a warning is outputted (step 115). Otherwise, based on the received
20 trading identifier, the client 210 updates the present status of processing for the trading associated with trading information with the trading identifier stored in the storage device 214 (step 116).

In the following, a first specific example of
25 the present invention will be described with reference to Figs. 3, 4. In this specific example, a client 210 is also connected to a delivery managing server 410 and a payment managing server 420 through a communication

network 230 in addition to a shopping server 220. The shopping server 220 may include functions of the delivery managing server and the payment managing server. In this case, the device configuration includes
5 the shopping server alone.

Fig. 3 illustrates a processing flow in the first specific example, and Fig. 4 illustrates a general configuration of the system in the first specific example. The general configuration of the electronic
10 commerce system illustrated in Fig. 4 has the delivery managing server 410 and the payment managing server 420 connected to the configuration illustrated in Fig. 1 through the network 230. Since the rest of the configuration in Fig. 4 is identical to Fig. 1, explanation
15 thereof is omitted. The delivery managing server 410 and the payment managing server 420, which have the same device configuration as the shopping server 220, each comprise a computer, a storage device, and a communication cable.

20 Next, respective processing steps illustrated in Fig. 3 will be described in detail along the flow of the processing in Fig. 3.

<Step 111> Client: Transmission of Order:

The client 210 accesses the shopping server
25 220 using communication software such as an Internet browser, a Web browser or the like installed in the computer 211, and acquires product information. Then, the client 210 selects and determines a product to be

Figure 1 displays 12 line graphs (a-l) showing the time course of various physiological parameters during a 10-minute period. The parameters are: a) HR (b/min), b) BP (mmHg), c) SV (ml), d) SVI (ml/m²), e) CO (l/min), f) COI (l/min/m²), g) VTI (cm), h) VTII (cm), i) VTI/BSA (cm/m²), j) VTI/BSA (cm/m²), k) VTI/BSA (cm/m²), and l) VTI/BSA (cm/m²). Each graph shows a baseline value and a response to a stimulus, with error bars indicating standard error.

Figure 1 displays 12 line graphs (a-l) showing the time course of various physiological parameters during a 10-minute period. The parameters are: a) HR (b/min), b) BP (mmHg), c) SV (ml), d) SVI (ml/m²), e) CO (l/min), f) COI (l/min/m²), g) VTI (cm), h) VTII (cm), i) VTI/BSA (cm/m²), j) VTI/BSA (cm/m²), k) VTI/BSA (cm/m²), and l) VTI/BSA (cm/m²). Each graph shows a baseline value and a response to a stimulus, with error bars indicating standard error.

Then, the shopping server 220 executes the order acceptance processing in accordance with an electronic commerce processing corresponding to the received order information from electronic commerce processing 600

5 previously stored in the storage device 222. Fig. 6 shows an outline of the electronic order processing 600. A payment method column 611 shows a list of payment methods, while a payment processing column 612 contains a processing required by each payment method.

10 Stated another way, a payment processing corresponding to a payment method specified by order information is executed in accordance with the electronic commerce processing 600. Similarly, a delivery method column 621 shows a list of delivery
15 methods, while a delivery processing column 622 indicates a processing corresponding to each delivery method. The payment processing and the delivery processing include the order of processing corresponding to each method, and the addresses of the payment
20 managing server and the delivery managing server required for the processing. The payment methods include, for example, credit card payment, electronic money payment, transfer of funds between bank accounts, and so on. The delivery methods include, for example,
25 home delivery, transmission of electronic goods such as software through a network, and so on.

Fig. 7 illustrates detailed steps of the order acceptance processing 121 when the credit card payment,

08979840-1169

for example, is selected in order information. The shopping server 220 requests the payment managing server 420 to authenticate whether an orderer has a settling capability (step 701). For this purpose, the shopping
5 server 220 transmits necessary information for the authentication such as the name, address, telephone number, credit card number, card available period, and so on within the order information from the client 210 to the payment managing server 420 at a predetermined
10 destination address. Next, the shopping server 220 receives the result of the requested authentication from the payment managing server 420 (step 702).

<Step 122> Server: Creation of Trading Information:

The shopping server 220 creates trading
15 information 800 indicative of the contents of a contract associated with order information.

Fig. 8 shows an example of the trading information 800. The trading information 800 includes an order ID 801 for identifying a trading; order
20 specific information 802 indicative of the contents of an order such as a purchase date, product name, quantity, and price; payment information 803 related to a method of proceeding the trading (payment method, E-mail address of payment institution); delivery
25 information 804 (delivery method, E-mail address of delivery service provider); and orderer information 805 for identifying the orderer such as a buyer name, E-mail address, delivery destination address, and so on.

The shopping server 220 stores the created trading information 800 in the storage device 222.

<step 123> Server: Transmission of Trading Information:

The shopping server 220 transmits the trading
5 information 800 indicative of the contents of a contract
associated with order information to the client 210. In
this event, information related to the name of a shop
and the address of the shopping server are added to the
transmitted trading information 800. Here, a protocol
10 utilized by the shopping server 220 for transmitting the
trading information may be Simple Mail Transport
Protocol (SMTP) which is a standard protocol for
electronic mail, Hypertext Transport Protocol which is a
standard protocol for WWW, and so on. A similar
15 protocol may be used also for transmission and reception
of information between the server and the client in
subsequent steps.

<Step 112> Client: Acquisition of Trading Information:

The client 210 receives the trading informa-
20 tion 800 indicative of the contents of a contract
associated with order information from the server 220
through the communication network 230. Fig. 9
illustrates a trading information display screen 900
which displays received trading information 800. The
25 trading information display screen 900 is provided for
confirming the order information and comprises an
ordered product area 910, a delivery method and payment
method area 920, and personal information area 930.

With the information displayed on the screen 900, the orderer confirms whether the contents of the order are free of errors, and so on.

The client 210 selectively inputs an "OK" button 940 if no error is found in the contents of the order. The trading information is stored in the storage device 214. If the order is canceled at this time, a "cancel" button 950 is selectively inputted. When the order is canceled, order cancel information is transmitted to the server 220 through the communication network 230 together with an associated trading identifier. The server 220 executes processing for canceling the order corresponding to the trading identifier associated with the received order cancel information.

<Step 134> Shopping Server: Order Processing:

The shopping server 220 executes the order processing. A detailed flow of the order processing is illustrated in Fig. 10.

An order processing instruction is transmitted for an ordered product. The order processing instruction may be, for example, a product manufacturing instruction, a shipping instruction, and so on. The following description is made based on an example of shipping instruction. A shipping instruction is first transmitted to a shipping operation managing system responsible for the management of shipping operations (step 1001). The shipping operation managing system

manages information on scheduled shipping operation of products and a present status of shipping operation, and provides the information in response to a request thereto. The shipping instruction initiates a shipping operation for a product, and the shipping operation managing system manages the present status of the shipping operation.

Next, payment instructing information is transmitted to the payment managing server 420 of an associated payment institution for the order (step 1002). Delivery instructing information is transmitted to the delivery management server 410 of an associated delivery service provider (step 1003). The payment instructing information and the delivery instructing information, which have contents similar to those of the trading information 800, include information which permits the payment institution and the delivery service provider to settle an associated trading and deliver a product associated with the trading, respectively. Step 1002 and step 1003 may be executed in the reverse order. Processing flows for the delivery managing server 410 and the payment managing server 420 will be described later.

<Step 135> Shopping Server: Creation of Order

Processing Status:

The shopping server 220 creates an order processing status. Fig. 11 illustrates an example of a processing flow for creating the order processing

status. First, the shopping server 220 transmits a trading identifier to a shipping operation managing system (step 1101). Then, the shopping server 220 receives an order processing status corresponding to the trading identifier from the shipping operation managing system (step 1102). Alternatively, the shipping operation management system may transmit an order processing status to the shopping server 220 each time the shipping operation advances.

Fig. 12 shows an example of data contained in the order processing status 1200 which is received by the shopping server 220. The order processing status 1200 includes information 1201 as to whether an ordered product has been delivered or not, and a scheduled delivery date or a delivery completed date 1202, both corresponding to a trading ID 801 in the trading information 800. The created order processing status 1200 is stored in the storage device 222.

<Step 136> Shopping Server: Transmission of Order Processing Status:

The shopping server 220 transmits the order processing status 1200 created at step 135 to the client 210 through the communication network 230. Here, the destination of the order processing status 1200, i.e., the client is a buyer contained in trading information which is retrieved from the storage device 222 by making a search, with a trading ID in the order processing status 1200 used as a search key, for trading informa-

tion having the corresponding trading ID 801. The transmission of the order processing status 1200 may be performed in response to a request from the client 210.

Fig. 13 illustrates a processing flow for the transmission of the order processing status 1200 in response to a request from the client 210. The shopping server 220 receives a request for an order processing status from the client 210 (step 1301). The request for the order processing status includes a trading ID for identifying a trading to which the requested order processing status 1200 is related. The shopping server 220 searches the storage device 222 for the order processing status 1200 corresponding to the trading ID contained in the request, based on the request for the order processing status from the client 210 (step 1302). Then, the shopping server 220 transmits the retrieved order processing status 1200 to the client 210 which is the requester of the order processing status (step 1303).

20 <Step 137>

If the order processing status transmitted at step 136 shows that the order processing has not been completed, the processing is continuously repeated from the order processing at step 134 onward.

25 Reference is next made to a trading processing, creation of a trading processing status, and transmission performed by the delivery managing server 410 and the payment managing server 420.

<Steps 144, 154> Delivery Managing Server, Payment
Managing Server: Delivery Processing, Payment
Processing:

In response to the order processing at step
5 134 executed by the shopping server 220, the payment
managing server 420 of a payment institution associated
with the order receives payment instructing information,
while the delivery managing server 420 of a delivery
service provider associated with the order receives
10 delivery instructing information. Then, the delivery
managing server 410 and the payment managing server 420
execute payment processing and delivery processing based
on the received payment instructing information and
delivery instructing information, respectively. The
15 payment processing is made after client examination is
passed at a CAFIS (Credit and Finance Information
System) center, and includes notifying a seller of
payment for sales, paying the seller for the sales,
calculating a debited amount, notifying the buyer of a
20 date on which a specified account is debited, together
with the debited amount, debiting the amount from the
account on the debiting date, and so on.

A home delivery operation is performed in
response to a delivery instruction in the order of
25 collection of products to be delivered, concentration of
products to a terminal, distribution of products to
respective destination regions, transport of products
between terminals, delivery, and so on. A home delivery

00979340-4469
SECRET

information system collects and manages information on each ordered product from an associated operation site each time activities such as collection, distribution, transport, and delivery of the product take place. In

5 this event, a scheduled home delivery date is calculated and managed together with the foregoing information.

Alternatively, the payment processing and the delivery processing may be executed in a different system connected through a network.

10 <Steps 145, 155> Delivery Managing Server, Payment Managing Server: Creation of Delivery Processing Status, Creation of Order Processing Status:

A delivery processing status 1400 and a payment processing status 1500 are created based on the
15 delivery processing and the payment processing executed at steps 144, 154, respectively. Fig. 14 shows the delivery processing status 1400, and Fig. 15 shows the payment processing status 1500. The delivery processing status 1400 includes information 1401 as to whether an
20 associated product has been delivered or not and a scheduled delivery date or a delivery completed date 1402, corresponding to the trading information 800. The payment processing status 1500 includes information 1501 as to whether an associated order has been settled or
25 not, and a scheduled payment date or a settled date, corresponding to the trading information 800.

<Steps 146, 156> Delivery Managing Server, Payment Managing Server: Transmission of Delivery Processing

08979840-4259

Status, Transmission of Payment Processing Status:

The delivery managing server 410 and the payment managing server 420 transmit the delivery processing status 1400 and the payment processing status 1500 created at steps 145, 155, respectively, to the client 210 through the communication network 230.

Alternatively, the transmission of the delivery processing status 1400 and the payment processing status 1500 may be executed in response to a request from the client 210. Since the transmission at steps 146, 156 is substantially the same as that of the shopping server described at step 136, detailed explanation is omitted.

<Steps 147, 157> Delivery Managing Server, Payment Managing Server:

If the delivery processing status and the payment processing status transmitted at steps 147, 157 show that the delivery processing and the payment processing have not been completed, the processing is continuously repeated from steps 144, 154 onward.

Next described is the processing executed in the client 210 for updating a present status of processing for a trading.

<Step 113> Client: Reception of Present Status of Processing for Trading:

The client 210 receives a present status of processing for a trading from each of the shopping server 220, the delivery managing server 410, and the payment management server 420 through the network 230.

08979810-11669

Fig. 16 illustrates an example of a screen 1600 for displaying the present status of processing for trading. The present trading processing status screen 1600 includes a trading content display area 1601, and a
5 present processing status display area 1602 related to order processing, the payment processing and the delivery processing for displaying the present status of processing related to the order processing, the payment processing, and the delivery processing associated with
10 each trading. Alternatively, the present trading processing status screen 1600 may display whether the order processing has been completed or not; whether the payment processing has been completed or not; and whether the delivery processing has been completed or
15 not by trading date.

The reception of the present status of processing for a trading may be performed such that the client 210 selectively requests a server for trading information to be updated, and receives the requested
20 trading information. Fig. 17 illustrates an alternative processing flow of the processing step 113 for updating a present status of processing for a trading. First, a request for a present status of processing for a trading is created (step 1701). The request for a present
25 status of processing for a trading may be created by selecting desired trading information from the trading information list 1603 and selectively inputting a "present processing status confirmation" button 1604 on

the present trading processing status display screen 1600.

Fig. 18 illustrates a present trading processing status request schedule display 1800 for automatically displaying a present status of processing for a trading. The present trading processing status request schedule display 1800 includes a selection area 1801 for requesting a present status of processing and a request schedule input area 1802. In accordance with a schedule inputted in the requested schedule input area 1802, a request for confirming a present status of processing is created for requested trading information inputted in the selection area 1801 for requesting a present status of processing. In this way, the present status of processing can be automatically confirmed without requiring the user to input his intention of requesting the confirmation of the present status of processing. Next, the request for confirming the present status of processing for selected trading information is transmitted to the shopping server 220, the delivery managing server 410, and the payment managing server 420 based on the destinations contained in the trading information (step 1702). The client 210 receives the present status of processing for the selected trading information from the shopping server 220, the delivery managing server 410, and the payment managing server 420, to which the request has been transmitted, and updates and displays the present

08979810-1459
"0892T" 07862680

trading processing status request schedule display 1800
(step 1703).

<Step 114> Client: Coincidence Check for Present
Status of Processing for Trading:

5 The client 210 checks whether or not a trading
ID of a present status of processing for a trading
received from a server does not match any of trading IDs
of trading information 800 stored in the storage device
214, or whether or not the trading information includes
10 erroneous contents with respect to the information
before updated. The processing branches to step 115 if
any error is found and otherwise to step 116.

<Step 115> Client: Output of Warning for Error in
Present Status of Processing for Trading:

15 A warning is outputted for notifying any error
in the present status of processing for a trading
received at step 113. Fig. 19 illustrates an example of
an outputted warning display screen 1900.

<Step 116> Client: Update of Present Status of
20 Processing for Trading:

A received present status of processing for a
trading is updated for a trading ID corresponding to
trading information 800 stored in the storage device
214.

25 According to this specific example as
described above, the client 210 stores trading informa-
tion indicative of the contents of a trading in the
storage device 214 when an order is placed, and updates

08979810-11697

the present status of processing for the trading from the shopping server 220, the delivery managing server 410, and the payment managing server 420 based on the trading information, so that the client 210 is always
5 aware of the delivery status and the payment status for the order and can manage the order corresponding to each status.

Reference is next made to a second specific example of the present invention. The second specific
10 example illustrates that a product is returned, after the acquisition of the present status of processing for a trading, based on trading information.

Fig. 20 illustrates a processing flow of the second specific example. This processing flow is
15 substantially the same as the processing flow of the client 210 illustrated in Fig. 2. A difference is that Fig. 20 includes return processing at step 2001 after a sequence of steps 111 - 116. Thus, explanation on steps 111 - 116 is omitted.

20 <Step 2001> Return Processing:

The return processing may be executed by selecting desired trading information from the trading information list 1600 and selectively inputting a "transmit return request" button 1605 in the present
25 trading processing status display screen 1600. This causes a trading identifier associated with a return requested product and return requesting information to be transmitted to the shopping server 220 in the trading

information through the communication network 230.

Assume that "return" used herein also includes cancellation of a trading. The shopping server 220 receives the return requesting information, and takes appropriate
5 actions such as cancellation of the trading processing corresponding to the trading identifier, refund processing, and so on.

Thus, according to this specific example, it is possible to smoothly execute the return processing
10 depending on various situations such as delayed delivery, unsettled trading, and so on.

Reference is next made to a third specific example of the present invention. The third specific example illustrates that another order is placed, after
15 the acquisition of the present status of processing for a trading, based on trading information.

Fig. 21 illustrates a processing flow of the third specific example. This processing flow is substantially the same as the processing flow of the
20 client 210 illustrated in Fig. 2. A difference is that Fig. 21 includes, after step 116, step 2101 at which it is determined whether or not the client has an intention of placing a new order, followed by the processing jumping to the order processing at step 111, if the
25 client has such intention, to utilize trading information. Thus, explanation on steps 111 - 116 is omitted.
<Step 2101> Input of Presence or Absence of Intention of Placing Reorder:

08929810.14697
469277.07862680

The input device 212 is used to input the presence or absence of an intention of placing a new order. Specifically, new order processing is executed only by selecting desired trading information in the trading information list 1603 and selectively inputting a "reorder" button 1606 in the present trading processing status display screen 1600. When the "reorder" button 1606 is inputted, the processing branches to step 111.

10 <Step 111> Order Processing:

An order information input screen similar to that of Fig. 5 is displayed. In this event, information required for the order has already been inputted based on the trading information selectively inputted at step 114. If some order information is to be changed, the input device 212 is used to input a change, and the "OK" button 550 is selectively inputted, causing the contents of a trading associated with the reorder to be transmitted to the address of the shopping server in the trading information through the communication network 230.

Thus, according to this specific example, since a new order can be placed making the most of previous trading information, a reorder can be simply placed, particularly for frequently ordered products such as daily necessities, without inputting all order information from the beginning.

As mentioned above, transmission and reception of trading information between a client and a server are performed through a communication network. For this reason, the trading information must be secured from tapping, violence, and so on. For the security purpose, the following method is used.

A variety of information communicated between a server and a client is encrypted. Cryptology used in the encryption may be either of a public key cryptography such as Rivert-Shamir-Adleman (RAS) and a common key cryptography such as Data Encryption Standard (DES). This countermeasure can prevent trading information from being intercepted or violated by a third party, thereby making it possible to ensure safe trading and protection of privacy.

The programs for executing the processing illustrated in Figs. 2, 3, 20, and 21 may be stored in a portable storage means such as a floppy disk, an optical disk, or the like such that the programs are read into a main storage device of a processing system, upon execution, for performing the processing.

While the foregoing embodiment has been described in connection with a readily appreciable relationship between a client and a server, it goes without saying that the present invention is also applicable to other apparatus having the relationship of providing and enjoying similar services.

08979840-112697

CLAIMS

1. An electronic commerce support method for managing trading in a client connected to a server for providing electronic commerce services to receive the electronic commerce services, comprising the steps of:

transmitting an order for a product on the electronic commerce in response to an input by a user to said server through a communication network, receiving trading information including a trading identifier associated with said order and data on the contents of said order from said server, and storing said trading information in a storage device;

receiving from said server trading processing information including a present status of processing for processing initiated for said order, a present status of processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier; and

comparing said trading identifier included in said trading information with said trading identifier included in said trading processing information, and outputting a warning if they are not coincident, and adding said trading processing information to said trading information stored in said storage device if they are coincident.

2. A method according to claim 1, further comprising the step of:

08979840-11697

comparing said data on the contents of said order included in said trading information with said present status of processing for the processing initiated for said order, said present status of processing for delivery of said product corresponding to said order and said present status of processing for the payment processing for said trading included in said trading processing information, and outputting a warning if erroneous conditions are included.

3. A method according to claim 2, further comprising the step of:

sending to said server a transmission request for trading processing information including the trading identifier included in said trading information received from said server in order to receive said trading processing information from said server.

4. A method according to claim 3, wherein said step of sending a request includes transmitting a time at which said trading processing information is to be received, together with said transmission request for said trading processing information.

5. A method according to claim 2, wherein:

said present status of processing for the processing for said order included in said trading processing information includes a delivery completed date or a scheduled delivery date for the product associated with said order, said present status of processing for said delivery includes a delivery

08979840-4897

completed date or a scheduled delivery date for said product, and said present status of processing for said payment processing includes a payment completed date or scheduled payment date.

6. A method according to claim 2, further comprising the step of:

displaying trading for which delivery has been completed separately from trading for which delivery has not been completed, from said present status of processing for delivery included in said trading information, and displaying trading which have been settled separately from trading which have not been settled, from said present status of processing for payment processing for said trading.

7. A method according to claim 6, further comprising the step of:

calculating a total amount of money for products included in said trading which have not been settled, and displaying the calculated total amount of money.

8. A method according to claim 7, further comprising the step of:

comparing said total amount of money with a predetermined limit amount, and outputting a warning if said total amount of money for the products included in said trading which have not been settled exceeds said limit amount.

08979810-112597

9. A method according to claim 1, further comprising the step of:

inputting information on a product to be returned in said displayed trading information to which said trading processing information has been added, and transmitting said information to said server.

10. A method according to claim 1, further comprising the step of:

displaying said trading information to select a portion of information from said trading information, creating new order information by modifying said selected information, and transmitting said new order information to said server.

11. A method according to claim 1, wherein said server includes a shopping server dedicated to sales of products in the electronic commerce, a payment managing server dedicated to payment processing for said sales of products in response to an instruction from said shopping server, and a delivery managing server dedicated to delivery processing in said sales of products in response to an instruction from said shopping server, and said trading information includes destination addresses of said shopping server, said payment managing server, and said delivery managing server, said method further comprising the steps of:

receiving said present status of processing for the processing for said order from said shopping server;

08979810-112597

receiving said present status of processing for said payment processing for trading from said payment managing server; and

receiving said present status of processing for said delivery from said delivery managing server.

12. A method according to claim 11, further comprising the step of:

sending to said shopping server a transmission request for order processing information including a trading identifier included in said trading information received from said shopping server in order to receive said present status of processing for the processing for said order from said shopping server.

13. A method according to claim 11, further comprising the step of:

sending to said payment managing server a transmission request for payment managing processing information including the trading identifier included in said trading information received from said shopping server in order to receive said present status of processing for said payment processing for trading from said payment managing server.

14. A method according to claim 11, further comprising the step of:

sending to said delivery managing server a transmission request for delivery managing processing information including the trading identifier included in said trading information received from said shopping

08979840-11269

server in order to receive said present status of processing for said delivery from said delivery managing server.

15. An electronic commerce support method for managing trading in a server for providing a plurality of clients with electronic commerce services, comprising the steps of:

receiving an order for a product in the electronic commerce in response to an input by a user from a client through a communication network, and performing order acceptance processing for said product in accordance with a predetermined electronic commerce processing;

transmitting to said client trading information including a trading identifier associated with said order and data on the contents of said order;

creating trading processing information including a present status of processing for processing initiated for said order, a present status of processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier, and transmitting said trading processing information to said client; and

managing the present status of processing for the processing initiated for said order, the present status of the processing for delivery of said product corresponding to said order, and the present status of

08979810-1169

processing for the payment processing for said trading until the order processing, the delivery, and the payment processing are completed.

16. A method according to claim 15, further comprising the step of:

searching for the present status for the processing for said order, the present status of the processing for delivery of said product corresponding to said order, and the present status of processing for the payment processing for said trading, based on a trading identifier involved in a request from a client, to create trading processing information, and transmitting said trading processing information to said client.

17. A client connected to a server for providing electronic commerce services to receive the electronic commerce services, comprising:

an order transmitting device for transmitting an order for a product on the electronic commerce in response to an input by a user to said server through a communication network, receiving from said server trading information including a trading identifier associated with said order and data on the contents of said order from said server, and storing said trading information in a storage device;

a trading information acquiring device for receiving from said server trading processing information including a present status of processing for processing initiated for said order, a present status of

08979810-112697

processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier; and

an updating device for comparing said trading identifier included said trading information with said trading identifier included in said trading processing information, and outputting a warning if they are not coincident, and adding said trading processing information to said trading information stored in said storage device if they are coincident.

18. A client according to claim 17, further comprising:

a coincidence check device for comparing said data on the contents of said order with said present status of processing for the processing initiated for said order, said present status of processing for delivery of said product corresponding to said order, and said present status of processing for the payment processing for said trading included in said trading processing information, and outputting a warning if erroneous conditions are included.

19. A client according to claim 18, further comprising:

a transmitting device for sending to said server a transmission request for trading processing information including the trading identifier included in said trading information received from said server in

08979810-11269

order to receive said trading processing information from said server.

20. A client according to claim 19, wherein said transmitting device transmits a time at which said trading processing information is to be received, together with said transmission request for said trading processing information.

21. A client according to claim 17, wherein said server includes a shopping server dedicated to sales of products in the electronic commerce, a payment managing server dedicated to payment processing for said sales of products in response to an instruction from said shopping server, and a delivery managing server dedicated to delivery processing in said sales of products in response to an instruction from said shopping server, and said trading information includes destination addresses of said shopping server, said payment managing server, and said delivery managing server.

22. A client according to claim 17, further comprising:

a reordering device for displaying said trading information, selecting a portion of information from said trading information, creating new order information by modifying said selected information, and transmitting said new order information to said server.

23. A server for providing electronic commerce services to a plurality of clients, comprising:

08979840-112697

an order acceptance processing device for receiving an order for a product on the electronic commerce from a client in response to an input by a user through a communication network, and performing order acceptance processing for said product in accordance with a predetermined electronic commerce processing;

a trading information transmitting device for transmitting to said client trading information including a trading identifier associated with said order and data on the contents of said order;

a trading status transmitting device for creating trading processing information including a present status of processing for processing initiated for said order, a present status of processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier, and transmitting said trading processing information to said client; and

an order processing managing device for managing the present status of processing for the processing initiated for said order, the present status of the processing for delivery of said product corresponding to said order, and the present status of processing for the payment processing for said trading until the order processing, the delivery, and the payment processing are completed.

08979810-113697
SECRET

24. A server according to claim 23, further comprising:

a processing status transmitting device for searching for the present status for the processing for said order, the present status of the processing for delivery of said product corresponding to said order, and the present status of processing for the payment processing for said trading, based on a trading identifier contained in a request from a client, to create trading processing information, and transmitting said trading processing information to said client.

25. A storage medium having an electronic commerce support program provided in a client connected to a server for providing electronic commerce services to receive the electronic commerce services, said program being readable by a CPU in said client for managing the electronic commerce, said storage medium comprising:

a storage component having a code sequence for realizing the step of transmitting an order for a product on the electronic commerce in response to an input by a user to said server through a communication network, receiving from said server trading information including a trading identifier associated with said order and data on the contents of said order from said server, and storing said trading information in a storage device;

a storage component having a code sequence for realizing the step of receiving from said server trading

08979830-1169

processing information including a present status of processing for processing initiated for said order, a present status of processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier; and

a storage component having a code sequence for realizing the step of comparing said trading identifier included said trading information with said trading identifier included in said trading processing information, and outputting a warning if they are not coincident, and adding said trading processing information to said trading information stored in said storage device if they are coincident.

26. A storage medium according to claim 25, further comprising:

a storage component having a code sequence for realizing the step of comparing said data on the contents of said order with said present status of processing for the processing initiated for said order, said present status of processing for delivery of said product corresponding to said order, and said present status of processing for the payment processing for said trading included in said trading processing information, and outputting a warning if erroneous conditions are included.

27. A storage medium having an electronic commerce support program provided in a server for providing

03979840 "11E697"

electronic commerce services to a plurality of clients, said program being readable by a CPU in said server for managing trading, said storage medium comprising:

a storage component having a code sequence for realizing the step of receiving an order for a product on the electronic commerce from a client in response to an input by a user through a communication network, and performing order acceptance processing for said product in accordance with a predetermined electronic commerce processing;

a storage component having a code sequence for realizing the step of transmitting to said client trading information including a trading identifier associated with said order and data on the contents of said order;

a storage component having a code sequence for realizing the step of creating trading processing information including a present status of processing for processing initiated for said order, a present status of processing for delivery of said product corresponding to said order, a present status of processing for payment processing for said trading, and the trading identifier, and transmitting said trading processing information to said client; and

a storage component having a code sequence for realizing the step of managing the present status of processing for the processing initiated for said order, the present status of the processing for delivery of

08979810-11259

said product corresponding to said order, and the present status of processing for the payment processing for said trading until the order processing, the delivery, and the payment processing are completed.

28. A storage medium having an electronic commerce support program provided in a shopping server for providing electronic commerce services to a plurality of clients, said program being readable by a CPU in said shopping server for managing trading, said storage medium comprising:

a storage component having a code sequence for realizing the step of receiving an order for a product on the electronic commerce from a client in response to an input by a user through a communication network, and performing order acceptance processing for said product in accordance with a predetermined electronic commerce processing;

a storage component having a code sequence for realizing the step of transmitting to said client trading information including a trading identifier associated with said order and data on the contents of said order;

a storage component having a code sequence for realizing the step of transmitting to said client a present status of processing for processing initiated for said order;

a storage component having a code sequence for realizing the step of transmitting a request for

08979840-112697

delivery of said product corresponding to said order to a delivery managing server connected to said shopping server; and

a storage component having a code sequence for realizing the step of transmitting a request for payment processing for said trading to a payment managing server.

08979810-11259
469277 07862680

ABSTRACT OF THE DISCLOSURE

An electronic commerce support method for managing trading in a client connected to a server for providing electronic commerce services to receive the electronic commerce services includes the steps of: transmitting an order for a product on the electronic commerce in response to an input by a user to the server through a communication network, receiving trading information including a trading identifier associated with the order and data on the contents of the order from the server, and storing the trading information in a storage device; receiving from the server trading processing information including a present status of processing for processing initiated for the order, a present status of processing for delivery of the product corresponding to the order, a present status of processing for payment processing for the trading, and the trading identifier; and comparing the trading identifier included in the trading information with the trading identifier included in the trading processing information, and outputting a warning if they are not coincident, and adding the trading processing information to the trading information stored in the storage device if they are coincident. An electronic commerce support method for managing trading in a server for providing a plurality of clients with electronic commerce services, includes the steps of: receiving an order for a product in the electronic commerce in

03979810-41369

response to an input by a user from a client through a communication network, and performing order acceptance processing for the product in accordance with a predetermined electronic commerce processing; transmitting to the client trading information including a trading identifier associated with the order and data on the contents of the order; creating trading processing information including a present status of processing for processing initiated for the order, a present status of processing for delivery of the product corresponding to the order, a present status of processing for payment processing for the trading, and the trading identifier, and transmitting the trading processing information to the client; and managing the present status of processing for the processing initiated for the order, the present status of the processing for delivery of the product corresponding to the order, and the present status of processing for the payment processing for the trading until the order processing, the delivery, and the payment processing are completed.

08979810-1289
"SECRET"

E 3538-01
(*)

COMBINED DECLARATION AND POWER OF ATTORNEY

(宣誓書及び委任状)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

"ELECTRONIC COMMERCE SUPPORT METHOD AND APPARATUS"

the specification of which: (check one) ☒ is attached hereto.

☐ was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended, by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me which is material to patentability in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date earlier than that of the application(s) on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
<u>08-317439</u>	<u>Japan</u>	<u>28 November, 1996</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)
_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)

(Continued on Page 2)

08979810-11697

I hereby appoint the following attorneys/agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissue or re-examination application with full power of appointment and substitution of associate attorneys and agents, and to receive all patents which may issue thereon: Thomas E. Beall, Jr., Reg. No. 22,410; Michael J. Colitz, Reg. No. 37,010; Joseph D. Dreher, Reg. No. 37,123; Christopher B. Fagan, Reg. No. 22,987; Jude A. Fry, Reg. No. 38,340; John X. Garred, Reg. No. 31,830; Michael E. Hudzinski, Reg. No. 34,185; Jeffrey M. Ketchum, Reg. No. 31,174; Richard M. Klein, Reg. No. 33,000; Thomas E. Kocovsky, Jr., Reg. No. 28,383; Sandra M. Koenig, Reg. No. 33,722; Petar Kraguljac, Reg. No. 38,520; Scott A. McCollister, Reg. No. 33,961; James W. McKee, Reg. No. 26,482; Shrinath Malur, Reg. No. 34,663; John R. Mattingly, Reg. No. 30,293; Richard J. Minnich, Reg. No. 24,175; Jay F. Moldovanyi, Reg. No. 29,678; Philip J. Moy, Reg. No. 31,280; Timothy E. Nauman, Reg. No. 32,283; Sue Ellen Phillips, Reg. No. 32,046; Patrick R. Roche, Reg. No. 29,580; Alan J. Ross, Reg. No. 33,767; Albert P. Sharpe, III, Reg. No. 19,879; Daniel J. Stanger, Reg. No. 32,846; Eric A. Stephenson, Reg. No. 38,321; Mark S. Svat, Reg. No. 34,261; John C. Tiernan, Reg. No. 21,078; John M. Vasuta, Reg. No. 38,353. Address all correspondence to: FAY, SHARPE, BEALL, FAGAN, MINNICH & MCKEE

[x] 104 East Hume Avenue
Alexandria, Virginia 22301 (703) 684-1120

[] 1100 Superior Avenue, Suite 700
Cleveland, Ohio 44114 (216) 861-5532

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, Section 1001, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

発明者

発明者フルネームサイン

氏名タイプ欄

Date November 13, 1997 Inventor Toshiyuki Ono Toshiyuki ONO
(Typed Name and Signature)
Residence Kawasaki-shi, Japan Citizenship Japan
Post Office Address 2-4, Shinbokuhoncho-1-chome, Miyamae-ku, Kawasaki-shi, Japan.

Date November 13, 1997 Inventor Chizuko Yasunobu Chizuko YASUNOBU
(Typed Name and Signature)
Residence Tokyo, Japan Citizenship Japan
Post Office Address 4-15-1701, Nishioi-1-chome, Shinagawa-ku, Tokyo, Japan.

Date _____ Inventor _____
(Typed Name and Signature)
Residence _____ Citizenship _____
Post Office Address _____

Date _____ Inventor _____
(Typed Name and Signature)
Residence _____ Citizenship _____
Post Office Address _____

Date _____ Inventor _____
(Typed Name and Signature)
Residence _____ Citizenship _____
Post Office Address _____

Date _____ Inventor _____
(Typed Name and Signature)
Residence _____ Citizenship _____
Post Office Address _____

69221 01362530

FIG. 1






FIG. 2








FIG. 5

HITACHI ONLINE SHOPPING
ORDER INFORMATION INPUT SCREEN

◆ PURCHASED PRODUCT LIST

PRODUCT NAME	QUANTITY	PRICE
RADISH	1	198
CARROT	2	225

◆ PAYMENT METHOD

☒ CREDIT ☒ ABC CREDIT
☐ CARD ☐ HAPPY LOAN
☐ ELECTRONIC MONEY
☐ ACCOUNT TRANSFER

CARD NUMBER
VALID THROUGH
ACCOUNT NUMBER

◆ DELIVERY METHOD

☒ HOME DELIVERY

NAME
ADDRESS
TELEPHONE NUMBER
MAIL ADDRESS

OK CANCEL

FIG. 6





FIG. 7

ORDER ACCEPTANCE PROCESSING 121



00979840-112697

TRADING 800
INFORMATION

FIG. 8

801	TRADING ID	96-0710-1234	△
802	ORDER DATE	96 / 07 / 10	
	PRODUCT	SHIRTS	
	QUANTITY	1	
	PRICE	4500	
803	PAYMENT METHOD	CREDIT CARD	△
	PAYMENT	payment@abccard.co.jp	
	INSTITUTION ADDRESS		
	CARD NUMBER	033-216-123456	
804	DELIVERY METHOD	HOME DELIVERY	△
	DELIVERY SERVICE	delivery@abcdistribution.co.jp	
	PROVIDER ADDRESS		
	DESTINATION	1099 OZENJI ASO-KU	
805	ADDRESS	KAWASAKI-SHI	
	BUYER	TOSHIYUKI ONO	
	MAIL ADDRESS	t-ono@hitachi.co.jp	
	ADDRESS	1099 OZENJI, ASO-KU, KAWASAKI-SHI	

FIG. 9

TRADING INFORMATION 900
DISPLAY SCREEN

CONFIRMATION OF TRADING INFORMATION					
◆ORDERED PRODUCTS					
ORDER					
DATE	SHOP	PRODUCT	PRICE	QUANTITY	
7 / 10	HITACHI	SHIRT	4500	1	
7 / 10	HITACHI	PANTS	5500	1	
TOTAL			10000	~	910
◆PAYMENT / DELIVERY METHODS					
CARD NAME					
CARD NUMBER					
DELIVERY SERVICE PROVIDER					~ 920
DESTINATION ADDRESS					
◆PERSONAL INFORMATION					
NAME		TOSHIYUKI ONO			
ADDRESS		1099 OUZENJI, ASO-KU, KAWASAKI-SHI			
TELEPHONE		044-966-91111			
NUMBER					
E-MAIL		t-ono@hitachi.co.jp			
ADDRESS		~ 930			
940 ~		OK		CANCEL ~ 950	

FIG. 10

ORDER PROCESSING 134




FIG. 11

CREATION OF ORDER PROCESSING STATUS 135




FIG. 12

ORDER PROCESSING STATUS 1200

801	TRADING ID	96-0710-1234
1201	DELIVERED / NOT	FINISHED
1202	DELIVERY SCHEDULE / DELIVERED DATE	96 / 07 / 12

FIG. 13




FIG. 14

DELIVERY PROCESSING STATUS 1400

801	TRADING ID	96-0710-1234
	PURCHASED DATE	96 / 07 / 10
	NAME OF PURCHASED SHOP	HITACHI ON-LINE SHOP
802	E-MAIL ADDRESS OF PURCHASED SHOP	eshop@hitachi.co.jp
	PRODUCT	SHIRTS
	QUANTITY	1
	PRICE	4500
	DELIVERY METHOD	HOME DELIVERY
804	E-MAIL ADDRESS OF DELIVERY SERVICE PROVIDER	delivery@abcdistribution.co.jp
	DESTINATION ADDRESS	1099 OZENJI ASO-KU KAWASAKI-SHI
805	BUYER	TOSHIYUKI ONO
	E-MAIL ADDRESS OF BUYER	t-ono@hitachi.co.jp
1401	DELIVERED / NOT	NOT
1402	DELIVERY SCHEDULE / DELIVERED DATE	96 / 07 / 15

FIG. 15

PAYMENT PROCESSING STATUS 1500

801	TRADING ID	96-0710-1234
	PURCHASED DATE	96 / 07 / 10
	NAME OF PURCHASED SHOP	HITACHI ON-LINE SHOP
802	E-MAIL ADDRESS OF PURCHASED SHOP	eshop@hitachi.co.jp
	PRODUCT	SHIRTS
	QUANTITY	1
	PRICE	4500
	PAYMENT METHOD	CREDIT CARD
803	E-MAIL ADDRESS OF PAYMENT INSTITUTION	kessai@abccard.co.jp
	CARD NUMBER	033-216-123456
805	BUYER	TOSHIYUKI ONO
	E-MAIL ADDRESS OF BUYER	t-ono@hitachi.co.jp
1501	SETTLED / NOT	NOT
1502	PAYMENT SCHEDULE / SETTLED DATE	96 / 08 / 05

FIG. 16

DISPLAY OF PRESENT STATUS OF PROCEDURE FOR TRADING 1600

◆ TRADING INFORMATION LIST ~ 1601 ~ 1602

PURCHASED DATE	SHOP	PRODUCT	PRICE	SHIP- MENT	PAY- MENT	DELI- VERED
7 / 10	HITACHI	SHIRT	4500	SHIPPED 7 / 18	NOT 8 / 5	DELIVERED 7 / 20
7 / 14	HITACHI	JEANS	5500	NOT 7 / 23	NOT 8 / 5	NOT 7 / 25
7 / 14	HITACHI	TELE- VISION	5500	NOT 7 / 23	NOT 9 / 5	NOT 7 / 25
TOTAL UNPAID AMOUNT				12,000		

1603

REORDER

TRANSMIT
RETURN REQUEST

CONFIRM PRESENT
STATUS OF PROCEDURE

1606
1605
1604

FIG. 17

RECEPTION OF PRESENT STATUS 113
OF PROCEDURE FOR TRADING




FIG. 18

PRESENT TRADING PROCEDURE STATUS REQUEST SCHEDULE SCREEN 1800

SCHEDULE OF REQUEST FOR PRESENT STATUS
OF PROCEDURE FOR TRADING

◆ REQUESTED TRADING

☐ NOT SHIPPED

☐ NOT DELIVERED

☐ UNPAID

◆ SCHEDULE

☐ UPON POWER-ON

☐ ONCE PER 5 HOURS

OK CANCEL

~ 1801

~ 1802

FIG. 19

WARNING DISPLAY SCREEN

DISPLAY OF PRESENT STATUS OF PROCEDURE FOR TRADING

◆ TRADING INFORMATION LIST

WARNING!

TRADING INFORMATION
NOT COINCIDENT
PLEASE CONFIRM

TOTAL OF UNPAID AMOUNT

REORDER TRANSMIT RETURN REQUEST CONFIRM PRESENT STATUS OF PROCEDURE

1606 1605 1604

1600

FIG. 20




FIG. 21

